

# Software

Software Maintenance Program	466
GX Developer	466
GX Developer-FX	467
SuperMicro SoftLoader Suite	467
GX Simulator	467
PX Developer	468
Alpha VLS	468
MT-Developer	468
GT WORKS 2	468
E-Designer	469
E-Designer Lite	470
E-Designer Transfer	470
HV Developer	470
MX OPC	471
MX Component	471
GX Configurator	471
MR-Configurator	473
FR-Configurator	473
MSIZE	473

# PLC, HMI, Connectivity and Visualization Software Products

## Software Maintenance Agreement (SMA)

The software maintenance agreement allows users to purchase a yearly software maintenance contract that includes automatic delivery of ALL upgrades that MEAU releases during the contract year for the associated software title. The SMA ensures that a customer will always have the current version of software. The contract for this service runs one year from the date of purchase, and should be renewed yearly to ensure continuous service.

## Programming Software (Windows Based)

### GX Developer:

GX Developer (GX-DEV) is a Windows based programming package that supports the full line of Mitsubishi PLCs.

GX-DEV has support for the following PLCs: FX0(S), FX0N, FX1, FX1S/1N, FXU/FX2C, FX2N(C), FX3U, A0J2H, A1FX, A1S(S1), A1SJ, A1SH, A1SJH, A1N, A2C, A2CJ, A2N(S1), A2S(S1), A2SH(S1), A3N, A2A(S1), A3A, A2U(S1), A2US(S1), A2AS(S1), A2AS-S30, A2AS-S60, A2USH-S1, A3U, A4U, Q2A, Q2AS(H), Q2AS1, Q2AS(H)S1, Q3A, Q4A, Q4AR, Q02(H)-A, Q06H-A, Q00J, Q00, Q01, Q02(H), Q06H, Q12H, Q25H, A171SH, A172SH and A273UH(S3).

GX-DEV is capable of communicating to a Mitsubishi PLC by means of the programming port, Ethernet, modem, and Mitsubishi networks (including MelsecNet/10 and CC-Link). For connecting to the PLC front port, the SC09 programming cable must be purchased separately. Also included on the GX Developer CD are the GX Converter, GX Explorer and FX-Configurator-EN software add-ons.

Model Number	Description
GX-DEV-C1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manuals
GX-DEC-C1-SMA	SMA FOR GX-DEV-C1
GX-DEV-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manuals
GX-DEC-C5-SMA	SMA FOR GX-DEV-C5
GX-DEV-C10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manuals
GX-DEC-C10-SMA	SMA FOR GX-DEV-C10
GX-DEV-C25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manuals
GX-DEC-C25-SMA	SMA FOR GX-DEV-C25
GX-DEV-C50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manuals
GX-DEC-C50-SMA	SMA FOR GX-DEV-C50
IB(NA)0800242	GX-DEV / GX-SIM Startup Manual
IB(NA)0800243	GX-DEV Operating Manual
IB(NA)0800244	GX-DEV SFC Operating Manual
IB(NA)0800245	MELSAP-L Operating Manual (Legacy Product SFC Programming)
IB(NA)0800246	GX-DEV Function Block Manual
IB(NA)0800004	GX Converter Operating Manual
IB(NA)0800194	GX Explorer Operating Manual (Not included on GX Developer-FX CD)
IB(NA)0800247	Structured Text Operating Manual
IB(NA)0800248	Structured Text Programming Guide

## GX Developer-FX

As an alternative for FX PLC users, GX Developer FX (GX-DEV-FX) is a scaled down version of GX-DEV supporting the FX Series PLCs. GX-DEV-FX is 100% compatible with the full blown version of GX-DEV and files can be shared between the two (limited to FX PLC programs).

Customers who have already purchased GX-DEV do not need GX-DEV-FX as all the functionality for the FX PLCs is the same in both packages. Also included on the GX Developer-FX CD is the FX-Configurator-EN software add-on.

Model Number	Description
GX-DEV-FX-C1	Single user license – can be used on 1 computer at a time
GX-DEV-FX-C1-SMA	SMA FOR GX-DEV-FX-C1
GX-DEV-FX-C5	5 user license – can be used on up to 5 computers at a time
GX-DEV-FX-C5-SMA	SMA FOR GX-DEV-FX-C5
GX-DEV-FX-C10	10 user license – can be used on up to 10 computers at a time
GX-DEV-FX-C10-SMA	SMA FOR GX-DEV-FX-C10
GX-DEV-FX-C25	25 user license – can be used on up to 25 computers at a time
GX-DEV-FX-C25-SMA	SMA FOR GX-DEV-FX-C25
GX-DEV-FX-C50	50 user license – can be used on up to 50 computers at a time
GX-DEV-FX-C50-SMA	SMA FOR GX-DEV-FX-C50
IB(NA)0800242	GX-DEV / GX-SIM Startup Manual
IB(NA)0800243	GX-DEV Operating Manual
IB(NA)0800244	GX-DEV SFC Operating Manual
IB(NA)0800245	MELSP-L Operating Manual (Legacy Product SFC Programming)
IB(NA)0800246	GX-DEV Function Block Manual
IB(NA)0800004	GX Converter Operating Manual
JY992D88301	GX Developer-FX Supplemental Manual (Only included on the GX Developer-FX CD)
JY992D48301	FX Series Programming Manual (Only included on the GX Developer-FX CD)

Note: All software programs includes 1 CD containing both software and electronic manuals. Manuals are in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## SuperMicro SoftLoader Suite

The SuperMicro SoftLoader Suite is a software package developed to offer OEMs the simplest way of distributing project machinery program updates and enhancements to field locations. This package comes with three software titles that include the Download, Upload and the Keyword utilities. Used as a transfer only program, this suite allows for convenient and cost effective program maintenance.

Model Number	Description
SOFTLOAD-OEM-C1	SuperMicro™ SoftLoader Suite – 1 Users License
SOFTLOAD-OEM-C5	SuperMicro™ SoftLoader Suite – 5 Users License
SOFTLOAD-OEM-C10	SuperMicro™ SoftLoader Suite – 10 Users License
SOFTLOAD-OEM-C25	SuperMicro™ SoftLoader Suite – 25 Users License
SOFTLOAD-OEM-C50	SuperMicro™ SoftLoader Suite – 50 Users License

Note: Each CD contains the Software Suite and electronic manual.

## GX Simulator

As an option to GX Developer or GX Developer FX, users can add the Ladder Logic Simulator (SIM) program, which allows simulation of program operation without using a PLC. This is a great way for a programmer to test the functionality of his program, before operating it on a PLC. Machine responses can be simulated and one can use the normal ladder monitor window in GX Developer or GX Developer FX to track execution.

This is an outstanding feature that allows program debugging to begin before a control system is wired to the machine. Start-up becomes focused on mechanical issues and tuning, rather than on code errors. No connection cables are required for use of this program. GX Developer or GX Developer FX must be installed prior to installing GX Simulator.

Model Number	Description
GX-SIM-C1	Single user license - can be used on 1 computer at a time
GX-SIM-C1-SMA	SMA FOR GX SIMULATOR 1 USER LICENSE
GX-SIM-C5	5 user license – can be used on up to 5 computers at a time
CX-SIM-C5-SMA	SMA FOR GX SIMULATOR 5 USER LICENSE
GX-SIM-C10	10 user license – can be used on up to 10 computers at a time
CX-SIM-C10-SMA	SMA FOR GX SIMULATOR 10 USER LICENSE
GX-SIM-C25	25 user license - can be used on up to 25 computers at a time
CX-SIM-C25-SMA	SMA FOR GX SIMULATOR 25 USER LICENSE
GX-SIM-C50	50 user license – can be used on up to 50 computers at a time
CX-SIM-C50-SMA	SMA FOR GX SIMULATOR 50 USER LICENSE
IB(NA)0800189	GX-DEV / GX-SIM Startup Manual
IB(NA)0800193	GX-SIM Operating Manual

Note: All software programs includes 1 CD containing both software and electronic manuals. Manuals are in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed. Adobe, Acrobat and their logos are trademarks of Adobe Systems, Inc.

## PX Developer

PX Developer is a software package consisting of programming tool and monitoring tool which supports users to process DDC on QnPHCPU. The programming work is done in FBD language. DDC processing monitor is done with tag data.

Model Number	Description
PX-DEV-C1	Process Control Configuration Software
SH(NA)080369	Operating Manual (Programming Tool)
SH(NA)080370	Operating Manual (Monitor Tool)
SH(NA)080371	Programming Manual

## Alpha VLS Software

The Alpha VLS software is a Windows based programming package designed to support the full line of Alpha controllers. The Alpha programming cable (AL-232CAB) is required to connect the PC to the Alpha controller.

Model Number	Description
ALPHA-WIN-1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manual JY992D74001
ALPHA-WIN-5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manual JY992D74001
ALPHA-WIN-10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manual JY992D74001
ALPHA-WIN-25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manual JY992D74001
ALPHA-WIN-50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manual JY992D74001
JY992D74001	Alpha VLS Software Manual*
JY992D97101	AL2 Programming Manual*
JY992D968	AL2-EEPROM-2 Hardware Manual*
JY992D97201	AL2-GSM-CAB Hardware Manual*
JY992D76001	Alpha RS232 Cable User's Guide*
JY992D97401	Alpha2 (AL2-4Exx) installation Manual*
JY992D97701	Alpha2 Communication Manual*
JY992D97301	Alpha2 Hardware Manual*
JY992D81401	Alx-ASI-BD Hardware Manual*

## MT-Developer for Motion Controllers

Integrated start-up support software. Additional information regarding this software can be found in the Motion Controllers section of this guide.

## Operator Interface Programming Software

### GT WORKS 2

GT WORKS 2 is a Windows based programming package allowing users to design interface screens for the F940 GOT, 800 Series GOT and 900 Series GOT. Previous users of the 800 Series GOT can use their existing screen designs by using the converter program supplied with GT WORKS 2. Also supplied on the GT WORKS 2 CD is the GT Simulator software. With GT Simulator, users can simulate 900 Series GOT project screens to test for functionality. In order for GT Simulator to function correctly, a user must have GX Developer and GX Simulator installed. GT WORKS 2 requires a programming cable to communicate to the HMI (AC30R2-9P 25-to-9 pin or the AC30R2-9SS 9-to-9 pin).

Model Number	Description
GT-WORKS2-C1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manuals
GT-WORKS2-C1-SMA	SMA FOR GT-WORKS2-C1
GT-WORKS2-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manuals
GT-WORKS2-C5-SMA	SMA FOR GT-WORKS2-C5
GT-WORKS2-C10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manuals
GT-WORKS2-C10-SMA	SMA FOR GT-WORKS2-C10
GT-WORKS2-C25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manuals
GT-WORKS2-C25-SMA	SMA FOR GT-WORKS2-C25
GT-WORKS2-C50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manuals
GT-WORKS2-C50-SMA	SMA FOR GT-WORKS2-C50

## GT WORKS2 (continued)

Model Number	Description
SH(NA)080278	GT Designer 2 Operating Manual (Introductory)
SH(NA)080251	GT Designer 2 Reference Manual
SH(NA)080253	GT Designer 2 Extended / Option Manual
SH(NA)080255	GT Designer 2 Connection System
SH(NA)080399	GT Simulator 2 Manual
SH(NA)080400	GT SOFTGOT 2 Operating Manual
JY997D09101	GOT 900 Series Operating Manual
IB(NA)66791	GOT 800 Software Startup Manual
IB(NA)66792	GOT 800 Software Introductory Manual
IB(NA)66793	GOT 800 Monitor Screen Creation Manual
IB(NA)66794	GOT 800 Data Transmission / Debugging / Document Creation Manual
IB(NA)66795	GOT 800 Report Function Manual
IB(NA)66796	GOT 800 Expanded Functions Manual
IB(NA)66797	GOT 800 PLC/Bar-Code Connection System Manual
SH(NA)080398	A900 GOT Gateway Functions Manual
SH(NA)080250	GT Designer 2 Startup Manual
JY992D94801	F900 GOT Hardware Connection Manual

Note: All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## E-Designer

E-Designer (E-DES) is a Windows based programming package allowing users to design screens for the MTA and E Series HMIs. HMIs supported include: E50, E100, E150, E200, E300, E600, E610, E615, E700, E710, E900, E900VT and E910. Also included on the CD is the HMI Tools utility program and various manuals related to the MTA and E Series products. Refer to the HMI section for a detailed explanation of cables needed for programming each HMI.

Model Number	Description
E-DES-C1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manuals
E-DES-C1-SMA	SMA FOR E-DES-C1
E-DES-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-C5-SMA	SMA FOR E-DES-C5
E-DES-C10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-C10-SMA	SMA FOR E-DES-C10
E-DES-C25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-C25-SMA	SMA FOR E-DES-C25
E-DES-C50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-C50-SMA	SMA FOR E-DES-C50
MA00552	Instruction Manual for E-Series HMIs and E-Designer *
MA00246	HMI TOOLS Manual

Note: All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

**E-DESIGNER LITE**

E-Designer Lite is a scaled-down version of the E-Designer programming tool which is used to develop projects for operator terminals in E-Series.

Model Number	Description
E-DES-LT-C1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manuals
E-DES-LT-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-LT-C10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-LT-C25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-LT-C50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manuals
MA00552	Instruction Manual for E-Series HMIs and E-Designer *
MA00246	HMI TOOLS Manual

Note: All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

**E-DESIGNER TRANSFER**

E-Designer Transfer utility is an easy-to-use software package that transfers projects from one controller to another.

Model Number	Description
E-DES-TR-C1	Single user license – can be used on 1 computer at a time Includes 1 CD containing both software and electronic manuals
E-DES-TR-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-TR-C10	10 user license – can be used on up to 10 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-TR-C25	25 user license – can be used on up to 25 computers at a time Includes 1 CD containing both software and electronic manuals
E-DES-TR-C50	50 user license – can be used on up to 50 computers at a time Includes 1 CD containing both software and electronic manuals
MA00246	HMI TOOLS Manual

Note: All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

**HV Developer**

HV Developer is a configuration and programming software for Hi-View™ Industrial Marquees.

Model Number	Description
HV-DEV-C1	Marquee Configuration Software
HV-DEV-MAN	Marquee Configuration Software Manual

## Communication Software

### MX OPC

OPC is a great way for users wanting to communicate from their PC to Mitsubishi hardware devices. The MX OPC server contains all the Mitsubishi protocols available to successfully communicate from Mitsubishi hardware devices to any OPC Client, such as MX-WORX. MX OPC Server is also capable of spanning multiple networks as it relays data to and from the OPC Client. With literally hundreds of connection methods possible, MC-WORX remains simple to configure using graphical point and click technology. Supported Mitsubishi protocols include programming port, serial, Ethernet, MELSECNET/10, CC-Link and others. Supported hardware includes FX, A, QnA and Q Series devices plus selected CNC devices.

Model Number	Description
MX-OPC-C1	Single user license for Mitsubishi OPC Server – can be used on 1 computer at a time. Includes 1 CD-ROM containing both software and electronic manual.
MX-OPC-C1-SMA	MX OPC SERVER SINGLE USER LICENSE
MXOPC-C5	5 user license – can be used on up to 5 computers at a time Includes 1 CD-ROM containing both software and electronic manual.
MX-OPC-C5-SMA	MX OPC SERVER 5-USER LICENSE
MX-OPC-C10	10 user license – can be used on up to 5 computers at a time Includes 1 CD-ROM containing both software and electronic manual.
MX-OPC-C10-SMA	MX OPC SERVER 10-USER LICENSE
MX-OPC-C25	25 user license – can be used on up to 5 computers at a time Includes 1 CD-ROM containing both software and electronic manual.
MX-OPC-C25-SMA	MX OPC SERVER 25-USER LICENSE
MX-OPC-C50	50 user license – can be used on up to 5 computers at a time Includes 1 CD-ROM containing both software and electronic manual.
MX-OPC-C50-SMA	MX OPC SERVER 50-USER LICENSE

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

### MX Component

MX Component is an Active X control library that supports various Mitsubishi communication paths, from the PC to Mitsubishi PLCs. MX Component also enables the development of a wide variety of applications by supporting various languages, such as Visual Basic, Visual C++, Access, VBA of Excel and VB Script.

Model Number	Description
MX Component	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manuals
SH(NA)080269	MX Component (Sx Controller Communication) Operating Manual
SH(NA)080270	MX Component Start Up Manual*
SH(NA)080271	MX Component Operating Manual*
SH(NA)080272	MX Component Programming Manual*

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## Configurator Software Tools

The GX Configurator software toolset provides users with a method of configuring special function modules without the need to write ladder code. These tools are “plug-ins” to be used with GX Developer and are separated into various groups to best serve your programming requirements.

### GX Configurator

GX Configurator is a set of tools specifically designed for the Q Series family of special function modules. The GX Configurator CD contains the following software configuration titles as well as their respectful manuals.

Model Number	Description
GX-CONFIG-C1	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manuals
GX-CONFIG-C1-SMA	SMA FOR GX-CONFIG-C1

Titles included on the GX CONFIGURATOR CD. The titles below are not sold separately.

Model Number	Description	Manual
GX-Configurator-AD	Analog-Digital converter modules: Q64AD, Q68ADV, A68ADI	SH(NA)080055
	Channel Isolated High Resolution Analog-Digital Modules (w/without Signal Conditioning Function): Q64AD-GH, Q62AD-DGH	SH(NA)080277
GX-Configurator-DA	Digital-Analog Modules: Q62DA, Q64DA, Q68DAV, Q68DAI	SH(NA)080054
	Channel Isolated Digital-Analog Module: Q62DA-FG	SH(NA)080281
GX-Configurator-TI	Thermocouple Input Modules – Channel Isolated Thermocouple/Micro Voltage Input Modules: Q64TD, Q64TDV-GH	SH(NA)080141
	Thermocouple Input Module: Q64RD	SH(NA)080142
GX-Configurator-CT	Channel Isolated Pulse Input Module: QD60P8-G	SH(NA)080313
	High Speed Counter Modules: QD62, QD62E, QD62D	SH(NA)080036
GX-Configurator-DN	DeviceNet Master-Slave Module: QJ1DN91	SH(NA)080143
GX-Configurator-SC	Serial Communications Modules: QJ71C24, QJ71C24-R2	SH(NA)080006
	Serial Communications Module Protocol FB Support	SH(NA)080393
GX-Configurator-TC	Temperature Control Modules: Q64TCTT, Q64TCTTBW, Q64TCRT, Q64TCRTBW	SH(NA)080121
GX-Configurator-PT	Positioning Modules: QD70P4, QD70P8	SH(NA)080171
GX-Configurator-AS	AS-i (OZZI) Network Master Module: QJ1AS92	SH(NA)080291

**GX Configurator-QP**

Sold as a separate configuration utility software title, GX Configurator-QP is used to configure and maintain systems using the QD75 family of motion control modules.

Model Number	Description
GX-CONFIG-QP-C1	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manuals Includes support for the QD75P1, QD75P2, QD75P3, QD75D1, QD75D2, QD75D3, QD75M1, QD75M2 & QD75M3 motion modules
GX-CONFIG-QP-C1-SMA	SMA FOR GX-CONFIG-QP-C1
IB(NA)0800261	GX-Configurator-QP Operating Manual *
SH(NA)080058	QD75P1-P2-P4-D1-D4 Positioning Modules Manual*

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

**GX Configurator-CC**

Sold as a separate configuration utility software title, GX Configurator-CC enables users to graphically configure and maintain a CC-Link network.

Model Number	Description
GX-CONFIG-CC-C1	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manuals Includes support for all MELSEC A, QnA and Q Series CC-Link networks
GX-CONFIG-CC-C1-SMA	SMA FOR GX-CONFIG-CC-C1
SH(NA)080103	GX-Configurator-CC Operating Manual*
IB(NA)66721	AJ61BT11 – A1SJ61BT11 User's Manual*
IB(NA)66722	AJ61QBT11 – A1SJ61QBT11 User's Manual*
IB(NA)66781	RS-232 Interface Module AJ65BT-R2
SH(NA)080016	QJ61QBT11 User's Manual*

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## GX Configurator-DP

GX Configurator-DP is a Windows based programming package allowing the user to graphically design and configure a Profibus network. GX Configurator-DP then transfers the configuration information to Mitsubishi Profibus modules.

Model Number	Description
GX-CONFIG-DP-C1	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manual Support Profibus modules include A71PB92D, A1SJ71PB92D and QJ71PB92D
GX-CONFIG-DP-C1-SMA	SMA FOR GX-CONFIG-DP-C1
SH(NA)080127	GX-Configurator-DP Profibus-DP Interface Module User's Manual*
IB(NA)66569	Profibus Interface Module AJ71PB92

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## GX Configurator-AP

Sold as a separate configuration utility software title, GX Configurator-AP is used to configure and maintain systems using the AD75M family of motion control modules.

Model Number	Description
GX-CONFIG-AP-C1	Single user license – can be used on 1 computer at a time Includes 1 CD-ROM containing both software and electronic manual Includes support for AD75P1, AD75P2, AD75P3, AD75P1-S3, AD75P2-S3, AD75P3-S3, AD75M1, AD75M2, AD75M3, A1SD75P1, A1SD75P2, A1SD75P3, A1SD75P1-P3, A1SD75P2-S3, A1SD75P3-S3, A1SD75M1, A1SD75M2, A1SD75M3, and AJ65BT-D75P2-D3 (CC-Link device station)
GX-CONFIG-AP-C1-SMA	SMA FOR GX-CONFIG-AP-C1
IB(NA)66900	GX-Configurator-AD Operating Manual*

**Note:** All manuals come free of charge on the software CD-ROM in Adobe Acrobat® Reader format. A free copy of the Acrobat Reader program is also included on the software CD. If hard copies of the manuals are desired, please refer to the manual model numbers listed.

## MR-Configurator for Servo

This Windows®-based software package is used to setup, program and test the amplifier. Additional information regarding this software can be found in the Servo section of this guide.

Model Number	Description
MR-CONFIGURATOR	Servo Configuration Software

## FR-Configurator for VFD

Additional information regarding this software can be found in the VFD section of this guide.

Model Number	Description
FR-CONFIGURATOR	VFD Setup Software

## Sizing Software

### MSIZE

This software is available for free download on [www.meau.com](http://www.meau.com).

Model Number	Description
MSIZE	Servo Sizing Software

Sold by AA Electric 1-800-237-8274 Lakeland, FL • Lawrenceville, GA • Greensboro, NC • East Rutherford, NJ [www.A-Aelectric.com](http://www.A-Aelectric.com)